se - Buried Plant Housings

(Complies with 7 CFR 1755.910)

Type BD Pedestals

Listed manufacturers are accepted to supply housing types as indicated by X's.

Type H Pedestals

			Pedestal Mounted				Pole Mounted		
Manufacturer	**Series**	**Notes**	**BD3**	**BD4**	**BD5**	**BD7**	**BD3A**	**BD4A**	**BD5A**
Channell	MAH	(15)	X	X	X	X	-	-	-
Charles Industries, Ltd.	(Pedlock BD)	(2)(3)(15)	X	X	X	X	X	X	X
Corning Cable Systems	(BD)	(1)(2)(3)	X	X	X	X	X	X	X
Emerson Network Power, Energy Systems	(UPC, FLOODPLUG, ProFORM)	(1)(2)(3)(7)(10)	X	X	X	X	X	X	X

See page 2.5.2 for notes.

se - Buried Plant Housings

(Complies with 7 CFR 1755.910)

Type BD Pedestals

Listed manufacturers are accepted to supply housing types as indicated by X's.

Manufacturer   **Designation**

Type M Pedestals

			Pedestal Mounted			Pole Mounted			Pole Mounted (Increased Hgt. Above Grd.)		
	Series	**Notes**	**BD14**	**BD15**	**BD16**	**BD14A**	**BD15A**	**BD16A**	**BD14AG**	**BD15AG**	**BD16AG**
Channell	MAH		X	X	X	-	-	-	-	-	-
Charles Industries, Ltd.	(Pedlock BD)	(2)(3)	X	X	X	X	X	X	X	X	X
Emerson Network Power, Energy Systems	(FLOODPLUG, ProFORM)	(2)(3)(10)	X	X	X	X	X	X	X	X	X

Large Count Splice Cabinets

			BD6000	**BD8000**	**BD10000**
Emerson Network Power, Energy Systems	(UPCBD)	(2)(3)(10)(14)	-	X	-

See page 2.5.2 for notes.

se - Buried Plant Housings
(Complies with 7 CFR 1755.910)

Type BDS Serving Area Interface Cabinet[4]

Manufacturer	**Designation**	
	Terminal Type [5]	**Cabinet Series**
3M	3M SS Block	4000[6] 4300[6] 4220[6][17] 4230 4900
Emerson Network Power, Energy Systems	RLS Module	UPC/BDS RSK/RSL Starburst Aerial UltraCab
Tyco Electronics	HubSnap	NGXC[12][16] BK/BL[11][16]

Fiber Optic Splice Case Housings

	Stake Mounted	**Pad Mounted**	**Pole Mounted**
Corning Cable Systems	OFC-BD7[8][9]	OFC-BD7[8][9]	OFC-BD7[8]
Emerson Network Power, Energy Systems	OPFO-BD7PD[8][9]	OPFO-BD7PD[8][9]	OPFO-BD7PL[8]

Notes:
  (1) Internal offset brackets for the BD3, BD4, and BD5 sizes are available upon request.
  (2) Grounding connectors for field mounting within the housings for terminating #6 AWG solid copper ground wire are available upon request.
  (3) Good housekeeping panels are available upon request, sizes BD3 and above. When ordering, suffix the catalog number with the letter "H".
  (4) SAI housings equipped with two doors, front and back are also available upon request.
  (5) Use the block or module recommended by the SAI manufacturer.
  (6) Only the 4065, 4295, and 4365 may be pole mounted.
  (7) BD7 may be pad mounted.
  (8) Order mounting hardware for the intended splice case in accordance with the manufacturer's Instructions.
  (9) Order pad or stake mounting hardware in accordance with the manufacturer's instructions.
  (**10**) For additional bonding and grounding requirements, extension brackets GBREXT, GBREXTKIT, and GBRALT are available upon request.
  (**11**) Pole Mounted Only.
  (**12**) Beige color may be used.
  (14) UPCBD8000 may be stake mounted.
  (15) These pedestals are type "M" pedestals (dome) that meet the functional criteria of type "H" pedestals.
  (16) If ordered stubbed, cables must be RUS accepted.
  (17) Includes 4220P Add-On-Cabinet.